Leader in Biomolecular Solutions for Life Science

SUB1 Rabbit pAb

Catalog No.: A7070



Basic Information

Observed MW

17kDa

Calculated MW

14kDa

Category

Polyclonal Antibody

Applications

WB,IF/ICC,IP,ELISA

Cross-Reactivity

Human, Mouse

Background

Enables identical protein binding activity; single-stranded DNA binding activity; and transcription coactivator activity. Involved in negative regulation of DNA metabolic process and regulation of transcription by RNA polymerase II. Located in nucleolus and nucleoplasm. Part of transcription regulator complex.

Recommended Dilutions

WB 1:500 - 1:2000

IF/ICC 1:50 - 1:100

IP 0.5μg-4μg antibody for 200μg-400μg extracts of

whole cells

Immunogen Information

Gene ID Swiss Prot 10923 P53999

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-127 of human SUB1 (NP_006704.3).

Synonyms

P15; PC4; p14; SUB1

Contact

www.abclonal.com


Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.




Western blot analysis of various lysates using SUB1 Rabbit pAb (A7070) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.


Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.



Immunofluorescence analysis of A549 cells using SUB1 Rabbit pAb (A7070). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution.



Immunoprecipitation analysis of 150 μg extracts of HL60 cells using 3 μg SUB1 antibody (A7070). Western blot was performed from the immunoprecipitate using SUB1 antibody (A7070) at a dilution of 1:500.