A7314

Leader in Biomolecular Solutions for Life Science

Twist Rabbit pAb

Catalog No.: A7314 8 Publications

Basic Information

Mouse Monoclonal Antibody

Observed MW

Calculated MW

21kDa

21kDa

Category

Applications WB, IF/ICC, ELISA

Cross-Reactivity Human, Mouse



Background

This gene encodes a basic helix-loop-helix (bHLH) transcription factor that plays an important role in embryonic development. The encoded protein forms both homodimers and heterodimers that bind to DNA E box sequences and regulate the transcription of genes involved in cranial suture closure during skull development. This protein may also regulate neural tube closure, limb development and brown fat metabolism. This gene is hypermethylated and overexpressed in multiple human cancers, and the encoded protein promotes tumor cell invasion and metastasis, as well as metastatic recurrence. Mutations in this gene cause Saethre-Chotzen syndrome in human patients, which is characterized by craniosynostosis, ptosis and hypertelorism.

Recommended Dilutions

Immunogen Information

1:100 - 1:500	Gene ID	Swiss Prot
	7291	Q15672
1:50 - 1:200		

Immunogen

A synthetic peptide corresponding to a sequence within amino acids 51-150 of human TWIST1 (NP 000465.1).

Synonyms

CRS; CSO; SCS; ACS3; CRS1; BPES2; BPES3; SWCOS; TWIST; bHLHa38; Twist

WB

IF/ICC

Product Information

€ www.abclonal.com Source

Isotype lgG


Purification Affinity purification

Storage


Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.


Validation Data



Western blot analysis of extracts of 293T cells, using Twist antibody (A7314) at 1:400 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 180s.



Immunofluorescence analysis of HeLa cells using Twist antibody (A7314) at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of NIH/3T3 cells using Twist antibody (A7314) at dilution of 1:100. Blue: DAPI for nuclear staining.