Leader in Biomolecular Solutions for Life Science

# **CDYL2 Rabbit pAb**

Catalog No.: A7401 1 Publications



#### **Basic Information**

### **Observed MW**

57kDa

#### **Calculated MW**

57kDa

#### Category

Polyclonal Antibody

### **Applications**

WB,ELISA

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

Predicted to enable transcription corepressor activity. Predicted to be involved in negative regulation of transcription, DNA-templated. Predicted to be active in nucleus.

## **Recommended Dilutions**

WB

1:500 - 1:2000

# **Immunogen Information**

**Gene ID** 124359

Swiss Prot Q8N8U2

# Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 60-230 of human CDYL2 (NP\_689555.2).

## **Synonyms**

PCCP1; CDYL2

## **Contact**

•

www.abclonal.com

# **Product Information**


**Source** Rabbit **Isotype** IgG

**Purification**Affinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using CDYL2 antibody (A7401) at 1:500 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.

Western blot analysis of various lysates, using CDYL2 Rabbit pAb (A7401) at 1:500 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 23 per lane.

Blocking buffer: 33 nonfat dry milk in TBST.

70kDetection: ECL Basic Kit (RM00020).

Exposure time: 1s. 60kDa--CDYL2 42kDa-35kDa-

23kDa-