Leader in Biomolecular Solutions for Life Science

HSD17B3 Rabbit pAb

Catalog No.: A7687



Basic Information

Observed MW

33kDa

Calculated MW

35kDa

Category

Mouse Monoclonal Antibody

Applications

WB,ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

This isoform of 17 beta-hydroxysteroid dehydrogenase is expressed predominantly in the testis and catalyzes the conversion of androstenedione to testosterone. It preferentially uses NADP as cofactor. Deficiency can result in male pseudohermaphroditism with gynecomastia.

Recommended Dilutions

WB

1:500 - 1:2000

Immunogen Information

Gene ID 3293 Swiss Prot P37058

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-310 of human HSD17B3 (NP_000188.1).

Synonyms

EDH17B3; SDR12C2; HSD17B3

Contact

•

www.abclonal.com


Product Information

Source Rabbit **Isotype** IgG **Purification**Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of lysates from wild type (WT) and 293T cells transfected with HSD17B3 using HSD17B3 Rabbit pAb (A7687) at 1:2500 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.