Leader in Biomolecular Solutions for Life Science

# **TICAM2 Rabbit pAb**

Catalog No.: A8292



### **Basic Information**

# **Observed MW**

37kDa

### **Calculated MW**

27kDa

#### Category

Polyclonal Antibody

# **Applications**

WB,ELISA

#### **Cross-Reactivity**

Human

# **Background**

Predicted to enable phospholipid binding activity. Involved in several processes, including TRAM-dependent toll-like receptor 4 signaling pathway; regulation of chemokine (C-C motif) ligand 5 production; and regulation of toll-like receptor 4 signaling pathway. Located in endoplasmic reticulum; endosome; and phagocytic cup.

# **Recommended Dilutions**

WB

1:500 - 1:2000

# **Immunogen Information**

**Gene ID** 353376

Swiss Prot Q86XR7

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1-235 of human TICAM2 (NP\_067681.1).

### **Synonyms**

TIRP; TRAM; TIRAP3; MyD88-4; TICAM-2; TICAM2

### **Contact**

•

www.abclonal.com

# **Product Information**


**Source** Rabbit **Isotype** IgG **Purification**Affinity purification

# Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of various lysates using TICAM2 Rabbit pAb (A8292) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.