Leader in Biomolecular Solutions for Life Science

# **AGXT Rabbit pAb**

Catalog No.: A8397 1 Publications



### **Basic Information**

### **Observed MW**

41kDa

### **Calculated MW**

43kDa

#### Category

Polyclonal Antibody

### **Applications**

WB,IHC-P,ELISA

#### **Cross-Reactivity**

Human, Mouse

# **Background**

This gene is expressed only in the liver and the encoded protein is localized mostly in the peroxisomes, where it is involved in glyoxylate detoxification. Mutations in this gene, some of which alter subcellular targetting, have been associated with type I primary hyperoxaluria.

# **Recommended Dilutions**

**WB** 1:500 - 1:2000

IHC-P 1:50 - 1:200

# **Immunogen Information**

**Gene ID**Swiss Prot
189
P21549

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 183-392 of human AGXT (NP\_000021.1).

### **Synonyms**

AGT; PH1; SPT; AGT1; SPAT; TLH6; AGXT1; Ser-PyrAT; AGXT

### **Contact**

www.abclonal.com

### **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# **Validation Data**




Western blot analysis of Mouse liver, using AGXT Rabbit pAb (A8397) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 1s.



Immunohistochemistry analysis of paraffinembedded human liver using AGXT Rabbit pAb (A8397) at dilution of 1:100 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.