### A9667

Leader in Biomolecular Solutions for Life Science

# **GSTK1** Rabbit mAb

Catalog No.: A9667 Recombinant



### **Basic Information**

Observed MW 25kDa

Calculated MW 25kDa

**Category** SMab Recombinant Monoclonal Antibody

Applications WB,IF/ICC,ELISA

Cross-Reactivity Human, Mouse

CloneNo number ARC1689

### Background

This gene encodes a member of the kappa class of the glutathione transferase superfamily of enzymes that function in cellular detoxification. The encoded protein is localized to the peroxisome and catalyzes the conjugation of glutathione to a wide range of hydrophobic substates facilitating the removal of these compounds from cells. Alternative splicing results in multiple transcript variants.

### **Recommended Dilutions**

### **Immunogen Information**

1:500 - 1:1000	Gene ID	Swiss Prot	
	373156	Q9Y2Q3	
1:50 - 1:200			

#### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-100 of human GSTK1 (Q9Y2Q3).

#### Synonyms

GST; GST13; hGSTK1; GSTK1-1; GST13-13; GST 13-13; GSTK1

WB

IF/ICC

### **Product Information**

www.abclonal.com

**lsotype** IgG Purification Affinity purification


#### Storage

Source


Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,0.05% BSA,50% glycerol,pH7.3.

## Validation Data



Western blot analysis of extracts of various cell lines, using GSTK1 Rabbit mAb (A9667) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.



Immunofluorescence analysis of NIH-3T3 cells using GSTK1 Rabbit mAb (A9667) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.