Leader in Biomolecular Solutions for Life Science

# **AMT Rabbit pAb**

Catalog No.: A9926



### **Basic Information**

### **Observed MW**

44kDa

### **Calculated MW**

44kDa

#### Category

Polyclonal Antibody

### **Applications**

WB,IF/ICC,ELISA

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

This gene encodes one of four critical components of the glycine cleavage system. Mutations in this gene have been associated with glycine encephalopathy. Multiple transcript variants encoding different isoforms have been found for this gene.

# **Recommended Dilutions**

**WB** 1:500 - 1:2000

**IF/ICC** 1:50 - 1:200

## **Immunogen Information**

**Gene ID**275

Swiss Prot
P48728

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 107-386 of human AMT (NP\_001158184.1).

### **Synonyms**

GCE; NKH; GCST; GCVT; AMT

### **Contact**

www.abclonal.com


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.




Western blot analysis of extracts of various cell lines, using AMT antibody (A9926) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.


Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.



Immunofluorescence analysis of HeLa cells using AMT Rabbit pAb (A9926) at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of NIH/3T3 cells using AMT Rabbit pAb (A9926) at dilution of 1:100. Blue: DAPI for nuclear staining.