RP00033

Leader in Biomolecular Solutions for Life Science

# **Recombinant Human Somatotropin/GH-N/GH1 Protein**

Catalog No.: RP00033 Recombinant

## Sequence Information

Species Gene ID Swiss Prot Human 2688 P01241

Tags C-His

#### Synonyms

GH1; GH; GH-N; GHB5; GHN; IGHD1B; hGH-N; somatotropin;GH;GH-N;GHB5;GHN;IGHD1B;hGH-N

# **Product Information**

Source Purification <I>E. coli</I> > 92% by SDS-PAGE.

## Endotoxin

< 0.1 EU/µg of the protein by LAL method.

#### Formulation

Lyophilized from a 0.22 µm filtered solution of 20mM Tris, 150mM NaCl, pH 8.0.Contact us for customized product form or formulation.

#### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

# Contact

Θ

www.abclonal.com

Background

Growth hormone (GH), also known as somatotropin, is a member of a family of growth factors that includes prolactin, placental lactogens, proliferins, and somatolactin. It is synthesized primarily by somatotropes in the anterior pituitary and is stored in secretary granules. The pulsatile release of GH into circulation is regulated by the concerted actions of the hypothalamic hormones - GH-releasing hormone (GHRH) and somatostatin (SST) - as well as by signals from the periphery - ghrelin and leptin. Human GH is a pleiotropic cytokine that exerts its biological actions by binding to the transmembrane GH receptor, which is present in many cell types. GH stimulates the liver and other tissues to produce IGF-1, which regulates growth and metabolism. GH has also been shown to have direct effects on growth that is independent of IGF-1. GH, directly or indirectly via IGF-1, can act on B cells, T cells, NK cells, macrophages and neutrophils to exert immunomodulatory activities. In addition, GH can act directly on various cell types to induce lipolysis, lactation, amino acid uptake and protein synthesis.

# **Basic Information**

## Description

Recombinant Human Somatotropin/GH-N/GH1 Protein is produced by <I>E. coli</I> expression system. The target protein is expressed with sequence (Phe27-Phe217) of human GH (Accession #NP\_000506.2) fused with an initial Met at the N-terminus and a 6×His tag at the C-terminus.

## **Bio-Activity**


Measured by its binding ability in a functional ELISA. Immobilized Human GH1 at 2  $\mu$ g/mL (100  $\mu$ L/well) can bind Human GHR with a linear range of 0.1-19.4 ng/mL.


#### Storage

Store the lyophilized protein at -20°C to -80 °C for long term.<br/>dread term



# Validation Data





Immobilized Human GH1 at 2  $\mu g/mL$  (100  $\mu L/well)$  can bind Human GHR with a linear range of 0.1-19.4 ng/mL.

Recombinant Human Somatotropin/GH-N/GH1 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 23 kDa.