### RP00116

Leader in Biomolecular Solutions for Life Science

# **Recombinant Human PDGFR-alpha/CD140a Protein**

Catalog No.: RP00116 Recombinant

# Sequence Information

Gene ID Swiss Prot Species 5156 P16234

Human

Tags

C-hFc&His

#### Synonyms

PDGFRA;CD140A;PDGFR-2;PDGFR2;GAS9 ;RHEPDGFRA

## **Product Information**

Source HEK293 cells **Purification** > 97% by SDS-

PAGE.

#### Endotoxin

< 0.1 EU/µg of the protein by LAL method.

#### Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

#### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

## Contact

Ð

www.abclonal.com

Background

This protein is a cell surface tyrosine kinase receptor for members of the plateletderived growth factor family. These growth factors are mitogens for cells of mesenchymal origin. The identity of the growth factor bound to a receptor monomer determines whether the functional receptor is a homodimer or a heterodimer, composed of both platelet-derived growth factor receptor alpha and beta polypeptides. Studies suggest that this gene plays a role in organ development. wound healing, and tumor progression. Mutations in this gene have been associated with idiopathic hypereosinophilic syndrome, somatic and familial gastrointestinal stromal tumors, and a variety of other cancers.

# **Basic Information**

#### Description

Recombinant Human PDGFR-alpha/CD140a Protein is produced by HEK293 expression system. The target protein is expressed with sequence (Gln24-Glu524) of human PDGFRa/CD140a (Accession #NP 006197.1) fused with an Fc, 6×His tag at the Cterminus.

#### **Bio-Activity**


Measured by its binding ability in a functional ELISA. Immobilized recombinant Human PDGF-B at 2 µg/mL (100 µL/well) can bind recombinant Human PDGFRA, the EC<sub>50</sub> of Human PDGFRA is 109 ng/mL.

#### Storage

Store the lyophilized protein at -20°C to -80 °C for long term. <br/>br>After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week. Avoid repeated freeze/thaw cycles.



# **Validation Data**



Immobilized recombinant Human PDGF-B at 2µg/mL (100µL/well) can bind recombinant Human PDGFRA, the  $EC_{so}$  of Human PDGFRA is 109 ng/mL.

Recombinant Human PDGFR-alpha/CD140a Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 110-130 kDa.