

RP00418

Leader in Biomolecular Solutions for Life Science



# Recombinant Human Lipopolysaccharide-binding protein/LBP Protein

Catalog No.: RP00418

Recombinant

## Sequence Information

Species	Gene ID	Swiss Prot
Human	3929	P18428

### Tags

C-His

### Synonyms

BPIFD2;LBP

## Background

This protein is involved in the acute-phase immunologic response to gram-negative bacterial infections. Gram-negative bacteria contain a glycolipid, lipopolysaccharide (LPS), on their outer cell wall. Together with bactericidal permeability-increasing protein (BPI), the encoded protein binds LPS and interacts with the CD14 receptor, probably playing a role in regulating LPS-dependent monocyte responses. Studies in mice suggest that the encoded protein is necessary for the rapid acute-phase response to LPS but not for the clearance of LPS from circulation. This protein is part of a family of structurally and functionally related proteins, including BPI, plasma cholesteryl ester transfer protein (CETP), and phospholipid transfer protein (PLTP).

## Basic Information

### Description

Recombinant Human Lipopolysaccharide-binding protein/LBP Protein is produced by Human Cell expression system. The target protein is expressed with sequence (Ala26-Val481) of human LBP/Lipopolysaccharide-binding protein (Accession #P18428) fused with a 6xHis tag at the C-terminus.

### Bio-Activity

### Storage

Store the lyophilized protein at -20°C to -80 °C for long term. After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week. Avoid repeated freeze/thaw cycles.

## Product Information

Source	Purification
HEK293 cells	> 95% by SDS-PAGE.

### Endotoxin

< 1 EU/μg of the protein by LAL method.

### Formulation

Lyophilized from a 0.2 μm filtered solution of 20 mM PB, 150 mM NaCl, 1 mM EDTA, pH 7.2. Contact us for customized product form or formulation.

### Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.


## Contact



[www.abclonal.com](http://www.abclonal.com)

## Validation Data

---



Recombinant Human Lipopolysaccharide-binding protein/LBP Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue, showing a band at 65 kDa.