Leader in Biomolecular Solutions for Life Science

# **Recombinant Human BY55/CD160 Protein**



Catalog No.: RP00566

Recombinant

## **Sequence Information**

**Species Gene ID Swiss Prot** Human 11126 095971

**Tags** C-His

**Synonyms** 

CD160;BY55;NK1;NK28

### **Product Information**

Source Purification HEK293 cells > 90% by SDS-PAGE.

### **Endotoxin**

<0.1 EU/ $\mu$ g of the protein by LAL method.

### Formulation

Lyophilized from a 0.2 µm filtered solution of PBS,pH7.4.Contact us for customized product form or formulation.

### Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### **Contact**



www.abclonal.com

# **Background**

CD160 antigen is a Lipid-anchor that exists as a disulfide-linked homomultimer. CD160 contains one lg-like V-type domain. The human CD160 precursor is a cysteine-rich, glycosylphosphatidylinositol-anchored protein of181 amino acids with a single lg-like domain. It is weakly homologous to KIR2DL4. CD160 is expressed in thespleen, peripheral blood, and small intestine. Its expression is tightly associated with peripheral blood NK cellsand CD8 T lymphocytes with cytolytic effector activity. CD160 is a receptor showing broad specificity for bothclassical and non-classical MHC class I molecules.

### **Basic Information**

#### Description


Recombinant Human CD160 Protein is produced by Human cells expression system. The target protein is expressed with sequence (Ile27-Ser159) of human CD160 (Accession #095971) fused with a  $6\times$ His tag at the C-terminus.

### **Bio-Activity**

#### Storage

Store the lyophilized protein at -20  $^{\circ}$ C to -80  $^{\circ}$ C for long term.<br/>
hr>After reconstitution, the protein solution is stable at -20  $^{\circ}$ C for 3 months, at 2-8  $^{\circ}$ C for up to 1 week. Avoid repeated freeze/thaw cycles.

# **Validation Data**



Recombinant Human BY55/CD160 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.