

Recombinant SARS-CoV-2 Spike S1(D614G) Protein

Catalog No.: RP01287 **Recombinant** **1 Publications**

Sequence Information

Species	Gene ID	Swiss Prot
SARS-CoV-2	43740568	P0DTC2

Tags

C-His

Synonyms

Envelope;SARS-CoV-2 Spike RBD (N501Y);Spike;Spike ECD;Spike RBD;Spike S1;Spike S2;Spike S2 ECD;S1-RBD protein;NCP-CoV RBD Protein;novel coronavirus RBD Protein;2019-nCoV RBD Protein;S glycoprotein Subunit1 RBD Protein

Product Information

Source	Purification
HEK293 cells	> 95% by SDS-PAGE.

Endotoxin

< 1.0 EU/μg of the protein by LAL method.

Formulation

Supplied as a 0.22 μm filtered solution in PBS, pH 7.4 or Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Background

Basic Information

Description

Recombinant SARS-CoV-2 Spike S1(D614G) Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Val16-Arg685(Asp614Gly)) of sars-cov-2 Spike S1(D614G) (Accession #QHD43416.1) fused with a 6xHis tag at the C-terminus.


Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized recombinant SARS-CoV-2 Spike S1 at 2 μg/mL (100 μL/well) can bind recombinant Human ACE2 with a linear range of 0.03-6.26 ng/mL.


Storage

Store the lyophilized protein at -20°C to -80°C for long term. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. or This liquid product is stable at ≤ -70°C for up to 1 year from the date of receipt. For optimal storage, aliquot into smaller quantities after centrifugation and store at recommended temperature. Avoid repeated freeze-thaw cycles. Avoid repeated freeze/thaw cycles.


Contact

 | www.abclonal.com

Validation Data



Recombinant SARS-CoV-2 Spike S1(D614G) Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 110-130 kDa.



Immobilized recombinant SARS-CoV-2 Spike S1 at 2µg/mL (100 µL/well) can bind recombinant Human ACE2 with a linear range of 0.03-6.26 ng/mL.