

RP01324

Leader in Biomolecular Solutions for Life Science



Recombinant Mouse TNFRSF4/OX40/CD134 Protein

Catalog No.: RP01324

Recombinant

Sequence Information

Species	Gene ID	Swiss Prot
Mouse	22163	P47741

Tags

C-His

Synonyms

TNFRSF4;OX40;CD134;OX40L
receptor;ACT35;TXGP1L;TNFRSF4

Product Information

Source	Purification
HEK293 cells	> 95% by SDS-PAGE.

Endotoxin

< 0.1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening.
Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water.
Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize freeze-thaw cycles.

Background

OX40 (CD134) and its binding partner, OX40L (CD252), are members of the tumor necrosis factor receptor/tumor necrosis factor superfamily, is known to break an existing state of tolerance in malignancies, leading to a reactivation of antitumor immunity. The interaction between OX40 and OX40L plays an important role in antigen-specific T-cell expansion and survival. OX40 and OX40L also regulate cytokine production from T cells, antigen-presenting cells, natural killer cells, and natural killer T cells, and modulate cytokine receptor signaling.

Basic Information

Description

Recombinant Mouse TNFRSF4/OX40/CD134 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Val20-Pro211) of Mouse TNFRSF4 (Accession #NP_035789.1) fused with an 6xHis tag at the C-terminus.

Bio-Activity

Storage


Store the lyophilized protein at -20°C to -80°C for long term. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.

Contact



www.abclonal.com

Validation Data



Recombinant Mouse TNFRSF4/OX40/CD134
Protein was determined by SDS-PAGE with
Coomassie Blue, showing a band at
40-55kDa.