Leader in Biomolecular Solutions for Life Science

# **Recombinant Mouse IGFBP-2 Protein**

ABclonal www.abclonal.com

Catalog No.: RP03182

Recombinant

# **Sequence Information**

Gene ID **Swiss Prot Species** 16008 P47877 Mouse

**Tags** C-His

**Synonyms** 

IBP2; IGF-BP53;IGFBP2;IGF-BP53

### **Product Information**

**Purification** HEK293 cells > 95% by SDS-PAGE.

#### **Endotoxin**

< 1.0 EU/µg of the protein by LAL method.

### **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

#### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### **Contact**



www.abclonal.com

# **Background**

IGFBP-2, also known as IGFBP2, is a insulin-like growth factor-binding protein (IGFBP). IGFBPs have a high affinity for IGFs. Some members of the IGFBP family have been consistently shown to inhibit IGF actions by preventing them from gaining access to the IGF receptors, while others potentiate IGF actions by facilitating the ligandreceptor interaction. IGFBP2 is overexpressed in many malignancies and is often correlated with an increasingly malignant status of the tumor, pointing to a potential involvement of IGFBP2 in tumorigenesis.

#### **Basic Information**

#### Description

Recombinant Mouse IGFBP-2 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Glu40-Gln328) of mouse IGFBP-2 (Accession #P47877) fused with an initial Met at the N-terminus and a 6×His tag at the C-terminus.

#### **Bio-Activity**

#### Storage

Store the lyophilized protein at -20°C to -80 °C for long term. <br/> After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week. Avoid repeated freeze/thaw cycles.