Leader in Biomolecular Solutions for Life Science

Recombinant Human REG3G Protein

ABclonal www.abclonal.com

Catalog No.: RP03255

Recombinant

Sequence Information

Gene ID **Swiss Prot Species** Human 130120 06UW15

Tags

C-His

Synonyms

Regenerating islet-derived protein 3gamma; REG-3-gamma; REG3G; Pancreatitis-associated protein 1B; PAP1B

Product Information

Purification

HEK293 cells > 95% by SDS-

PAGE.

Endotoxin

< 1.0 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact



www.abclonal.com

Background

Regenerating islet-derived 3 gamma (REG3G), also known as pancreatitis-associated protein 1B (PAP1B), is a member of the secreted Reg superfamily and contains one typical C-type lectin domain. REG3G is expressed weakly in pancreas, strongly in intestinal tract, but not in hyperplastic islets REG3G might be a stress protein involved in the control of bacterial proliferation. It was indicated that REG3G specifically targets Gram-positive bacteria because it binds to their surface peptidoglycan layer, and serves as one of several antimicrobial peptides produced by paneth cells via stimulation of toll-like receptors (TLRs) by pathogen-associated molecular patterns (PAMPs).

Basic Information

Description

Recombinant Human REG3G Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Met1-Asp175) of human REG3G (Accession #Q6UW15) fused with His tag at the C-terminus.


Bio-Activity

Storage

Store the lyophilized protein at -20°C to -80°C for 12 months.
 After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human REG3G Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 15-20 kDa.